## **Bevelled Blade Scraper**



|   | Part No. | Blade Width | Blade Length | Total Length | Material |   |
|---|----------|-------------|--------------|--------------|----------|---|
|   | BSC125L  | 25 mm       | 177 mm       | 273 mm       | Brass    | 1 |
|   | BSC125   | 32 mm       | 100 mm       | 200 mm       | Brass    | 1 |
| _ | BSC200   | 50 mm       | 100 mm       | 200 mm       | Brass    | 1 |

## **Angled Scraper no Bevel**



| Part No. | Blade Width | Material |   |
|----------|-------------|----------|---|
| BSC125A  | 32 mm       | Brass    | 1 |

## **Knock Out Bar**



| Part No. | Description     | Size |   |
|----------|-----------------|------|---|
| 704-31   | Knock out Bar   | ø 8  | 1 |
| 705-31   | Replacement Bar | ø 8  | 1 |

Simple but effective tool that combines a tough steel rod with threaded brass replaceable tips that prevent damage to the mould surface. The quickly replaced threaded brass tip ensures that the rod never gets too short or wears out and minimises the risk of burning.

The steel rod never wears out and the end will not 'mushroom' like a solid brass rod.

Steel Rod has an anti-rust finish.

- Steel Rod has 10mm Flat for simple removal of used tips.
- Brass Tip is machined to fine point.
- Supplied complete with one replacement tip.

Steel Rod: 13mm dia. / 420mm length.

Brass Tip: 8mm dia. / 105mm length.

## **Brass Tools**



| Part No. | Description                          | Length |   |
|----------|--------------------------------------|--------|---|
| BRT5     | 5mm Diameter                         | 350mm  | 1 |
| BRT5/90  | 5mm Diameter / 90 Degree             | 350mm  | 1 |
| BRT8     | 8mm Diameter                         | 400mm  | 1 |
| BRTK     | Kit Comprising BRT5 / BRT5/90 / BRT8 |        | 1 |

A range of brass hand tools manufactured from high grade brass for safely working on mould tools without damaging the mould surface; ideal for removing frozen sprues or stuck parts. The tips are supplied blunt and may be shaped to suit specific requirements.